Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	439	713/186.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:18
L2	400	600/301.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:18
L3	0	L1 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:18
L4	20447	"713"/\$.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:53
L5	54140	"600"/\$.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:18
L6	5	L4 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/11 13:21
L7	3	L1 and (pulse or heart or heartbeat or rhythm\$3) and (pressur\$3 or hemadynamometer or EKG) and (speed\$3 or walk\$3 or pedometer or step) and (thermometer or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:25
L8	98	L4 and (pulse or heart or heartbeat or rhythm\$3) and (pressur\$3 or hemadynamometer or EKG) and (speed\$3 or walk\$3 or pedometer or step) and (thermometer or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:26

·	1	·	-	T		
L9		L'8 and wireless\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:31
L10	17837	(lock\$3 with (device or interfac\$3 or mechanism or transceiver) with (computer\$3 or workstation or terminal or CPU or laptop or processor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:33
L11	11574	L10 and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:33
L12	1448	L11 and ((wireless\$3 or IR or radio or infrared) with (lock\$3 or protect\$3 or control\$4 or guard\$3 or prevent\$3 or access\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:34
L13	1454	L11 and ((wireless\$3 or IR or radio or infrared) with (lock\$3 or protect\$3 or control\$4 or guard\$3 or prevent\$3 or access\$3 or actuat\$3 or disabl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:35
L14	365	L13 and password\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:36
L15	143	L14 and (pulse or heart or heartbeat or hemadynamometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:42
L16	128	L15 and (thermometer or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:42

			·			
L17	11	L16 and (walking or pedometer or (moving near4 step))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/04/11 13:39
L18	6	L16 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:53
L19	.2	("6764012").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 13:46
L20	6416	"726"/\$.ccls. and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 13:53
L21	3	L16 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:11
L22	47	L14 and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:29
L23	2	("6560711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 14:29
L24	9	"6560711" and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/04/11 14:42

L25	9	"6108785" and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:42
L26	0	L25 and (pulse or heart or heartbeat or hemadynamometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 14:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1602864	(computer\$4 or CPU or PC or terminal or workstation) with (lock\$3 or control\$4 or access\$4 or security or secur\$3 or protect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2007/04/11 16:40
	178405	(meter\$3 or measur\$3 or sensor\$3 or sens\$3 or gage or gaging or scal\$3 or thermometer or pedometer) with (body or person or human or individual or employee or user or subject) with (blood or heart or heartbeat or temperature or step or walk\$3 or speed\$3 or heat or movement or motion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:41
L3	86069	(wireless\$3 or IR or radio or infrared) with (transmit\$4 or transfer\$3 or signal\$3 or send\$3 or communicat\$3 or deliver\$3 or provid\$3) with (meter\$3 or measur\$3 or sensor\$3 or sens\$3 or gage or gaging or scal\$3 or thermometer or pedometer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:36
L4	5824	L1 and L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:37
L5	2827	L4 and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:02
L6	552795	((computer\$4 or CPU or PC or terminal or workstation) with (lock\$3 or control\$4 or access\$4 or security or secur\$3 or protect\$4)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:40
L7	49685	((meter\$3 or measur\$3 or sensor\$3 or sens\$3 or gage or gaging or scal\$3 or thermometer or pedometer) with (body or person or human or individual or employee or user or subject) with (blood or heart or heartbeat or temperature or step or walk\$3 or speed\$3 or heat or movement or motion)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:41

L8	1594	L6 and L7	US-PGPUB; USPAT; USOCR;	OR	ON	2007/04/11 16:42
			EPO; JPO; DERWENT; IBM_TDB			
L9	72	L8 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:42
L16	7	"6259944" and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:21
L17	1	L16 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:55
L18	8	"6659948" and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:57
L19	.2	L18 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 16:55
L20	310	L5 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2007/04/11 17:02
			DERWENT; IBM_TDB			
L21	57	L20 and password	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:02

						•
L22	43	L21 and (window or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:20
L23	137	(treadmill and (CPU or computer or processor or microcontroller or micro)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:20
L24	90	L23 and @ad<"20030127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 17:21
L25	1	L24 and password and (window or display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	ON .	2007/04/11 17:26
L26	2	("6656091").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/11 17:26



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((heart and beat and locking and computer)<in>metadata)) <and> (pyr >= 1950 <and&..." Your search matched 1 of 1546007 documents.

⊠e-mail 🖶 printer triendiy

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

Modify Search

Display Format:

» Search Options

View Session History

New Search

(((heart and beat and locking and computer)<in>metadata)) <and> (pyr >= 1950 <and

» Key

IET JNL

IEEE JNL IEEE Journal or

Magazine

IET Journal or Magazine

IEEE Conference IEEE CNF

Proceeding

IET CNF IET Conference

Proceeding

IEEE STD IEEE Standard Select All Deselect All

© Citation C Citation & Abstract

1. Phase locked loop algorithm of longterm ECG induces low frequency oscillations in heart

rate variability spectra

Check to search only within this results set

Frey, A.W.; Dambacher, M.; Theisen, K.; Computers in Cardiology 1993. Proceedings.

5-8 Sept. 1993 Page(s):447 - 450

Digital Object Identifier 10.1109/CIC.1993.378407

AbstractPlus | Full Text: PDF(248 KB) IEEE CNF

Rights and Permissions

Indexed by Inspec

Contact Us Privacy & Security IEEE.org Copyright 2006 IEEE - All Rights Reserved



Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

. □ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((computer and pedometer)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 200..." Your search matched 3 of 1546007 documents.

e-mail printer friendly

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Key

Modify Search

(((computer and pedometer)<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)

Check to search only within this results set

Display Format: © Citation C Citation & Abstract

IEEE Journal or **IEEE JNL**

Magazine

IET JNL IET Journal or Magazine

IEEE Conference **IEEE CNF**

Proceeding

IET Conference IET CNF

Proceeding

IEEE STD IEEE Standard

view selected items Select All Deselect All

1. A wearable augmented reality system using positioning infrastructures and a pedometer

Tenmoku, R.; Kanbara, M.; Yokoya, N.;

Wearable Computers, 2003. Proceedings. Seventh IEEE International Symposium on

18-21 Oct. 2005 Page(s):110 - 117

Digital Object Identifier 10.1109/ISWC.2003.1241400

AbstractPlus | Full Text: PDF(989 KB) IEEE CNF

Rights and Permissions

2. A wearable augmented reality system for navigation using positioning infrastructures П and a pedometer

Tenmoku, R.; Kanbara, M.; Yokoya, N.;

Mixed and Augmented Reality, 2003. Proceedings. The Second IEEE and ACM International

Symposium on

7-10 Oct. 2003 Page(s):344 - 345

AbstractPlus | Full Text: PDF(449 KB) | IEEE CNF

Rights and Permissions

3. Personal positioning based on walking locomotion analysis with self-contained sensors and a wearable camera

Kourogi, M.; Kurata, T.;

Mixed and Augmented Reality, 2003. Proceedings. The Second IEEE and ACM International

Symposium on

7-10 Oct. 2003 Page(s):103 - 112

AbstractPlus | Full Text: PDF(5487 KB) | IEEE CNF

Rights and Permissions

Help Contact Us Privacy & Security IEEE.org

© Copyright 2006 IEEE - All Rights Reserved

Indexed by